















surrounded by a non-conducting matter,” *Astrophys. Space Sci.*, vol. 141, pp. 141-149, 1988.

[12] P.K. Bhatia, and R.P.S. Chhonkar, “Larmor radius effects on the instability of a rotating layer of a self-gravitating plasma,” *Astrophys. Space Sci.*, vol. 115, pp. 327-344, 1985.

[13] A. Marcu, and I. Ballai, “Thermosolutal stability of a two-component rotating plasma with finite Larmor radius,” *Proc. Romanian Acad. Series A*, vol. 8, pp. 111-120, 2007.

[14] S. Kaothekar, “Effect of hall current and finite Larmor radius corrections on thermal of radiative plasma for star formation in interstellar medium (ISM),” *J. Astrophys. Astr.*, vol. 37, Article ID: 0023, 2016.

[15] P.F. Lister, “On the thermal balance of a mid-ocean ridge,” *Geophys. J. Royal Astro. Soc.*, vol. 26, pp. 515-535, 1972.

[16] J.A.M. McDonnell, *Cosmic Dust*. John Wiley & Sons, Toronto, Canada, 1978.

[17] D.S. Vaghela, and R.K. Chhajlani, “Magnetogravitational stability of resistive plasma through porous medium with thermal conduction and FLR corrections,” *Contrib. Plasma Phys.*, vol. 29, pp. 77-89, 1989.

[18] M.K. Vyas, and R.K. Chhajlani, “Influence of finite Larmor radius with finite electrical and thermal conductivities on the gravitational instability of a magnetized rotating plasma through a porous medium,” *Contrib. Plasma Phys.*, vol. 30, pp. 315-328, 1990.