

- U. K. Saha, "Parametric analysis of model Savonius hydrokinetic turbines through experimental and computational investigations," *Energy Convers. Manag.*, vol. 158, no. December 2017, pp. 36–49, 2018.
- [17] A. Vergaerde *et al.*, "Experimental characterisation of the wake behind paired vertical-axis wind turbines," *J. Wind Eng. Ind. Aerodyn.*, vol. 206, no. July, p. 104353, 2020.
- [18] I. Ismail, R. A. Rahman, G. Haryanto, and E. A. Pane, "The Optimal Pitch Distance for Maximizing the Power Ratio for Savonius Turbine on Inline Configuration," *Int. J. Renew. Energy Res.*, vol. 11, no. 2, pp. 595–599, 2021.
- [19] A. Barnes and B. Hughes, "Determining the impact of VAWT farm configurations on power output," *Renew. Energy*, vol. 143, pp. 1111–1120, 2019.
- [20] J. Liu, H. Lin, and J. Zhang, "Review on the technical perspectives and commercial viability of vertical axis wind turbines," *Ocean Eng.*, vol. 182, no. April, pp. 608–626, 2019.
- [21] I. Ismail, E. A. Pane, G. Haryanto, T. Okviyanto, and R. A. Rahman, "A Better Approach for Modified Bach-Type Savonius Turbine Optimization," *Int. Rev. Aerosp. Eng.*, vol. 14, no. 3, p. 159, 2021.
- [22] B. A. Storti, J. J. Dorella, N. D. Roman, I. Peralta, and A. E. Albanesi, "Improving the efficiency of a Savonius wind turbine by designing a set of deflector plates with a metamodel-based optimization approach," *Energy*, vol. 186, p. 115814, 2019.
- [23] A. Ramadan, K. Yousef, M. Said, and M. H. Mohamed, "Shape optimization and experimental validation of a drag vertical axis wind turbine," *Energy*, vol. 151, pp. 839–853, 2018.
- [24] M. Saleh and F. Szodrai, "Numerical Model Analysis of Myring–Savonius wind turbines," *Int. J. Eng. Manag. Sci.*, vol. 4, no. 1, pp. 180–185, 2019.
- [25] Y. hang Hou, X. Liang, and X. yang Mu, "AUV hull lines optimization with uncertainty parameters based on six sigma reliability design," *Int. J. Nav. Archit. Ocean Eng.*, vol. 10, no. 4, pp. 499–507, 2018.
- [26] Ismail, J. John, E. A. Pane, R. Maulana, R. A. Rahman, and A. Suwandi, "Experimental evaluation for the feasibility of test chamber in the open-loop wind tunnel," *WSEAS Trans. Fluid Mech.*, vol. 16, pp. 120–126, 2021.
- [27] A. Posa, "Wake characterization of coupled configurations of vertical axis wind turbines using Large Eddy Simulation," *Int. J. Heat Fluid Flow*, vol. 75, no. November 2018, pp. 27–43, 2019.
- [28] H. Bai and C. Chun-Man, "Positive interactions of two Savonius-type vertical-axis wind turbines for performance improvement," *Energy Procedia*, vol. 158, pp. 625–630, 2019.
- [29] K. Kacprzak, G. Liskiewicz, and K. Sobczak, "Numerical investigation of conventional and modified Savonius wind turbines," *Renew. Energy*, vol. 60, pp. 578–585, 2013.
- [30] T. C. Hohman, L. Martinelli, and A. J. Smits, "The effect of blade geometry on the structure of vertical axis wind turbine wakes," *J. Wind Eng. Ind. Aerodyn.*, vol. 207, no. April 2019, p. 104328, 2020.
- [31] S. Shaaban, A. Albatal, and M. H. Mohamed, "Optimization of H-Rotor Darrieus turbines' mutual interaction in staggered arrangements," *Renew. Energy*, vol. 125, pp. 87–99, 2018.
- [32] S. ho Hur, "Reliable and cost-effective wind farm control strategy for offshore wind turbines," *Renew. Energy*, vol. 163, pp. 1265–1276, 2021.

Contribution of Individual Authors to the Creation of a Scientific Article (Ghostwriting Policy)

Budhi Muliawan Suyitno: Conceptualization and methodology

Reza Abdu Rahman: Writing and visualization

Ismail: Formal analysis and supervision

Erlanda Augupta Pane: Data acquisition and investigation

Creative Commons Attribution License 4.0 (Attribution 4.0 International, CC BY 4.0)

This article is published under the terms of the Creative Commons Attribution License 4.0

https://creativecommons.org/licenses/by/4.0/deed.en_US